

Republic of the Philippines CAVITE STATE UNIVERSITY Don Severino de las Alas Campus

REQUEST FOR QUOTATION Supply and Delivery of ICT Equipment for OVPASS

 The Cavite State University (CvSU) invites interested firms/suppliers to submit quotation for the project "Supply and Delivery of ICT Equipment for OVPASS" with an Approved Budget for the Contract (ABC) of One Hundred Eighty-Two Thousand Pesos Only (PhP 182,0000). Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	urit	Laptop Computer Processor: i7 or higher Memory: 8GB DDR4 Storage: 512GB SSD Solver 256SGB SSD+ IIB HDD Graphics: 2GB GDDR5 Display: 133'-14'IED FHD Connectivity: 802.11+ Bluetooth Ports: Combo Audio Jack; Type A USB 20, Type A USB 30 (USB 31 Gen 1); Type C USB 30 (USB 31 Gen 1/Gen 2); HDM Battery: 3 Cell 52.5WH Internal Operating System Windows 10 Hone Camera: 720P HD	50,000,00	50,000,00
2	1	urit	Desktop Computer Processor: i5 or higher Memory: 8GB DDR4 Storage: 128STAM2 SSD+ 1TB 5400 RPM Graphics: 2GB GDDR5 Display: 238', 1920 x 1080/250 rits, 169, antiglate, wide-viewangle, LED backlight Aurito Integrated 2 x 2W speakers Connectivity: 802 11ac,	890000	60,000.00

			1x1+ Bluetooth 40 Operating System		
			Windows 10 Bundle USB Keyboard		
			andUSBMuse		
3	1	urit	ICDProjector	22,000,00	22,000,00
			Projection System		
			3LCD Technology, RGB		
			Liquid Crystal Shutter LCD Panel: 055' with		
			D7		
			Light Output: 3,300		
			Liners - 2050 Liners		
			Resolution SVGA, 800		
			x600, 43'		
			Light Source Lamp		
			(UHE, 10W, 6000h		
			duabiity, 1000th duabiity econony		
			mode)		
			Lens: Optical		
			Image Size: 30' – 350'		
			Projection Distance:		
			1.77m-24m(60°		
			screen)		
			Focus: Maruel		
			Interfaces: USB 20		
			Type A, USB 20 Type B, VGA in, HDMin		
			Composite in Cinch		
			autioin Witeless IAN		
			EEE 802 11b/g/n		
			iProjectionApp Ad		
			Hbc/Infiastructure		
			Security Kensington		
			lock, Security cable		
			hole, Wireless LAN unit lock		
			Energy Use: 282 Walts,		
			208Watts (economy),		
			02Watts (startly)		
			Noise Level: Normal		
			37dB (A) - Economy		
			28dB(A)		

4 1 unit DocumentScarner

Scarner Type:
Automatic Document
Feeder (ADF)

× Scarning Modes:

X Scarring Modes: Simples/Duplex, Col3 CDT Page Scarring (Max) 210mmx5588mm(85' x220') Scarring Speed 40pm