

CAVITE STATE UNIVERSITY

Don Severino de las Alas Campus

(046) 862 0852

SUPPLY AND DELIVERY OF VARIOUS MULTIMEDIA EQUIPMENT

ABC: Php 493,00000

Item	Qty./	ltem	Specifications	Unit Price	Total Price
No.	Unit	Description	_	(Php)	(Php)
1	1 urit	Video Camera Camporder	Up to UHD 4k6 UFPS Video, 3G-SDI, HDM Out NDI/HX Compatible With Optional License 24x Optical Zoom, 48x Digital iZoom 120 FPS SlowMotion, Live RIP Streaming Handle with 2 XIRD Inputs, IED Light Manual Lens Rings and Dial, ND Filter Records MP4, MOV, AVCHD to Dual SD Cards With free 256gb SD Card, KH26P Video Tripod, DLO8 Kit and Extra	210,00000	2100000
			Battery		470 000 00
22	2 urit	DSIR Camera	24MP APS-C CMOS sensor with Dual Pixel AF 45 point AF system with all cross-type points 3' 1.04M dot articulating touch screen 108060 p wideo capture 7 fips continuous shooting with AF Weather resistant body 7580 pixel RGB+IR Metering Sensor Wi-Fi+NFC With EF-S 1855 mmf/3556IS SIM With fiee lenscap, shodquoof cambag extra batteryx2, grip, charger, 250gb sd cardx2, Mic with shock mount, heavy duty tripod, neck strap, mini holm	75,000,000	150,00000
3	2	DSLR Gimbal	to hani adapter Easy control with Powerful	20,00000	40,00000
	urit	Stabilizer	Buttons	-	-

			up to 18 hours battery 18 wast charging one button to achieve automatic movements or automatic focus/zoombetween two marked points parorama, Time lapse, Vertical- shooting Mode, Space Mode (3 Axis Follow), etc.) Face Detection AF Feature		
4	2	VideoMser	55'TaxhSaeenful HDIPS		80,000,00
	urit	Switcher	scient provides real picture LED Backlight Display HDM A 41N and 1 OUT USB 30 Type A 35mmAurio IN and Aurio OUT DC 12volts/2A Input Real time 6 picture previous (stud' inputs sources + PST preview+ PGM output picture) USB 30 fast to live streaming PIZ camera control (Up to 8 cameras) Chroma key, LOGO overlay T-Barreasily switch the transition effects and signal sources 15 transition effects and 9 PIP modes, the live picture more vivid Aurio offers AFV or Line Inmode Remote control via	MII	
5	1 Unit	USB Aurio Interface Live Sound Card with Mic Preamplifier	PC/smrtphore APP 2:2 USB 20 audio interface for recording microphores and instruments 2:4 Bit/192 kHz resolution for professional audioquality Compatible with popular recording software including Avid Pro Tools, Ableton Live, Steinberg Cubase Streams 2 inputs / 2 outputs with ultra low latercy to your computer; supporting Mac OS X and Windows XP or higher		

