




CONFIGURATION OF VARIOUS EQUIPMENT

RESULTS

TABLE 1. CONFIGURATION OF VARIOUS EQUIPMENT

Equipment	Configuration	Remarks
Computer	<p>Intel Core i5-7500 processor 8GB RAM 1TB HDD Windows 10 operating system</p>	Standard configuration for general office use.
Printer	<p>HP LaserJet Pro M404dn A4 paper, 60 pages per minute Network capable</p>	High-speed laser printer suitable for office environments.
Scanner	<p>HP ScanJet Pro G3100 A4 paper, 30 pages per minute Network capable</p>	High-speed scanner suitable for office environments.
Router	<p>TP-Link Archer AX100 Wi-Fi 6E, Gigabit Ethernet 4x LAN ports, 1x WAN port</p>	High-speed wireless router for office networking.
UPS	<p>APC BackUPS Pro BR1500 1500VA, 1200Wh 120V AC output</p>	Uninterruptible Power Supply for critical equipment.

Department of Education
 Office of the Director General
 Education Office
 Department of Education
 Office of the Director General
 Education Office



Certified Correct:


DINDO C. MARGES


EMELINE C. GUEVAPPA

Item	Quantity	Specification	Unit Price	Total	NO.
------	----------	---------------	------------	-------	-----


1	1	1.000.000.000	1.000.000.000	1.000.000.000	1
2	1	1.000.000.000	1.000.000.000	1.000.000.000	2
3	1	1.000.000.000	1.000.000.000	1.000.000.000	3
4	1	1.000.000.000	1.000.000.000	1.000.000.000	4
5	1	1.000.000.000	1.000.000.000	1.000.000.000	5
6	1	1.000.000.000	1.000.000.000	1.000.000.000	6
7	1	1.000.000.000	1.000.000.000	1.000.000.000	7
8	1	1.000.000.000	1.000.000.000	1.000.000.000	8
9	1	1.000.000.000	1.000.000.000	1.000.000.000	9
10	1	1.000.000.000	1.000.000.000	1.000.000.000	10
11	1	1.000.000.000	1.000.000.000	1.000.000.000	11
12	1	1.000.000.000	1.000.000.000	1.000.000.000	12
13	1	1.000.000.000	1.000.000.000	1.000.000.000	13

Features:

- Touchscreen: Capacitive or resistive touchscreen for intuitive interaction
- Communication: Ethernet, Wi-Fi, USB, RS485


...with a 15" touchscreen for intuitive interaction

...with a 15" touchscreen for intuitive interaction



...with a 15" touchscreen for intuitive interaction

...with a 15" touchscreen for intuitive interaction



Repeatability: ± 0.01

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

Capacity: 200 g

Repeatability: ± 0.1 mg

Linearity: ± 0.2 mg

Pan Size: 90 mm in diameter

Stabilization Time: 3.5 seconds

